


# Premium Top Treatments



## Style: V1

### **Width:**

Minimum: 40"  
Maximum: 192"

### **Heights:**

Swags: 18"-20" approx.  
Jabots: 36" approx.  
Horn (center): 23" approx.

### **Swag Count:**

2 swags up to 66" wide  
3 swags up to 92" wide  
4 swags up to 119" wide  
5 swags up to 149" wide  
6 swags up to 169" wide  
7 swags up to 192" wide

### **Measuring/Mounting Notes:**

Sections are pre-formed at the workroom and are attached to the pole with provided velcro for easy installation.

### **Return/Board/Rod Sizes:**

- This style does not have returns.
- This style may be mounted on any rod from 3/4" to 2" diameter.

### **Fullness:**

Not applicable

### **Available Fabrics:**

The V1 is only available in non-sheer Horizons Soft Treatments fabrics or C.O.M.

### **Lining:**

- Swags are light filtering lined only.
- Jabots and horn (center) are self lined standard. Contrasting lining is optional.

### **Edge Accents Banding:**

Not applicable

### **Decorative Trimmings:**


Decorative Trimmings may be applied on the bottoms of the swags and/or at the bottom of the jabots and horn (center). See pages C34-C36 for trim compatibility.

### **Welting:**

Not applicable

### **Valance Ties:**

Not applicable



## Style: V2

### **Width:**

Minimum: 36"  
Maximum: 192"  
Pelmets and Jabots: 9"

### **Heights:**

Straight portion: 14" or 18"  
Jabots: 36" standard, available up to 108"  
Pelmets: 5" longer than the bottom of the straight portion


### **Pelmet Count:**

1 Pelmet up to 120" wide  
2 Pelmets up to 192" wide

### **Measuring/Mounting Notes:**

- Outside mount only.
- This style is constructed with fabric wrapped wood legs for returns. Add a minimum of 2"

to the width to allow for their thickness.



- V2 is mounted with "L" brackets like a traditional cornice.

### **Return/Board/Rod Sizes:**

- A 3-1/2" board/return is standard.
- 1-1/2", 2-1/2", 5-1/2", 7-1/4" and 9-1/4" boards/returns are also available.

### **Fullness:**

Not applicable

### **Available Fabrics:**

The V2 is only available in non-sheer Horizons Soft Treatments fabrics or C.O.M.

### **Lining:**

- Blackout lining is standard for the straight portion.
- Jabots and pelmets are self lined standard. Contrasting lining and interlining are optional.

### **Edge Accents Banding:**

Not applicable

### **Decorative Trimmings:**

Decorative Trimmings may be applied on all bottom edges. Cording may be added to the top in place of welting. See page C34-C36 for trim compatibility.

### **Welting:**

A 1/4" welt at the top is standard. A larger 1/2" welt is optional. A contrasting welt is also optional.

### **Valance Ties:**

Not applicable

# Premium Top Treatments



## Style: V3

**Width:**

Minimum: 40"  
Maximum: 192"

**Heights:**

Short point: 12" approx.  
Long point: 22" approx.

**Swoop Count:**

This style always has two swoops.

**Measuring/Mounting Notes:**

- Outside mount only.
- V3 is mounted with "L" brackets like a traditional cornice.

**Return/Board/Rod Sizes:**

- A 3-1/2" board/return is standard.
- 1-1/2", 2-1/2", 5-1/2", 7-1/4" and 9-1/4" boards/returns are also available.

**Fullness:**

Not applicable

**Available Fabrics:**

The V3 is available in any Horizons Soft Treatments fabric or C.O.M.

**Lining:**

- Standard (non-sheer) fabrics are self lined standard. Contrast lining is optional.
- Sheer fabrics are self lined standard. Voile lining is optional.

**Edge Accents Banding:**

Not applicable

**Decorative Trimmings:**

Decorative Trimmings may be applied on the bottom edge. Cording may be added to the top in place of welting. See pages C34-C36 for trim compatibility.

**Welting:**

A 1/4" welt at the top is standard. A larger 1/2" welt is optional. A contrasting welt is also optional.

**Valance Ties:**

Not applicable



## Style: V4

**Width:**

Minimum: 24"  
Maximum: 100"

**Heights:**


Short point: 12" approx.  
Long point: 22" approx.

**Swoop Count:**

This style always has one swoop.

**Measuring/Mounting Notes:**

- Outside mount only.
- This style is constructed with fabric wrapped wood legs for returns. Add a minimum of 2"



to the width to allow for their thickness.

- V4 is mounted with "L" brackets like a traditional cornice.

**Return/Board/Rod Sizes:**

- A 3-1/2" board/return is standard.
- 1-1/2", 2-1/2", 5-1/2", 7-1/4" and 9-1/4" boards/returns are also available.

**Fullness:**

Not applicable

**Available Fabrics:**

The V4 is available in any Horizons Soft Treatments fabric or C.O.M.

**Lining:**

- Standard (non-sheer) fabrics are self lined standard. Contrast lining is optional.
- Sheer fabrics are self lined standard. Voile lining is optional.

**Edge Accents Banding:**

Not applicable

**Decorative Trimmings:**

Decorative Trimmings may be applied on the bottom edge. Cording may be added to the top in place of welting. See pages C34-C36 for trim compatibility.

**Welting:**

A 1/4" welt at the top is standard. A larger 1/2" welt is optional. A contrasting welt is also optional.

**Valance Ties:**

Not applicable



# Premium Top Treatments



## Style: V5

**Width:**

Minimum: 24"  
Maximum: 192"

**Heights:**


10", 14" or 18"

**Swag Count:**

Not applicable

**Measuring/Mounting Notes:**

- Outside mount only.
- This style is constructed with fabric wrapped wood legs for returns. Add a minimum of 2"



to the width to allow for their thickness. Note: The fabric is stretched across the face, there is no board across the front.

- V5 is mounted with "L" brackets like a traditional cornice.

**Return/Board/Rod Sizes:**

- A 3-1/2" board/return is standard.
- 1-1/2", 2-1/2", 5-1/2", 7-1/4" and 9-1/4" boards/returns are also available.

**Fullness:**

Not applicable

**Available Fabrics:**

The V5 is only available in non-sheer Horizons Soft Treatments fabrics or C.O.M.

**Lining:**

This style is available with blackout lining only.

**Edge Accents Banding:**

2" Edge Accents Banding is optional across the bottom.

**Decorative Trimmings:**

Decorative Trimmings may be applied on the bottom edge. Cording may be added to the top in place of welting. See pages C34-C36 for trim compatibility.

**Welting:**

A 1/4" welt at the top is standard. A larger 1/2" welt is optional. A contrasting welt is also optional.

**Valance Ties:**

Not applicable



## Style: V6

**Width:**

Minimum: 24"  
Maximum: 192"

**Heights:**


Standard: 14" with 20" kerchiefs.  
Optional: 18" with 32" kerchiefs.

**Swag Count:**

Not applicable

**Measuring/Mounting Notes:**

- Outside mount only.
- This style is constructed with fabric wrapped wood legs for returns. Add a minimum of 2"



to the width to allow for their thickness.

- V6 is mounted with "L" brackets like a traditional cornice.

**Return/Board/Rod Sizes:**

- A 3-1/2" board/return is standard.
- 1-1/2", 2-1/2", 5-1/2", 7-1/4" and 9-1/4" boards/returns are also available.

**Fullness:**

Not applicable

**Available Fabrics:**

- The V6 is only available in non-sheer Horizons Soft Treatments fabrics or C.O.M.

- The kerchiefs may be matching or contrasting fabric.

**Lining:**

- The straight portion is available with blackout lining only.
- The kerchiefs are self lined.

**Edge Accents Banding:**

Not applicable

**Decorative Trimmings:**

Decorative Trimmings may be applied on all bottom edges. Cording may be added to the top in place of welting. See page C34-C36 for trim compatibility.

**Welting:**

A 1/4" welt at the top is standard. A larger 1/2" welt is optional. A contrasting welt is also optional.

**Valance Ties:**

Not applicable



# Premium Top Treatments



Valance Tie  
(Optional)

## Style: V7

### **Width:**

Minimum: 24"  
Maximum: 192"

### **Heights:**


14" or 18"

### **Swag Count:**

Not applicable

### **Measuring/Mounting Notes:**

- Outside mount only.
- This style is constructed with fabric wrapped wood legs for returns. Add a minimum of 2" to the width to allow for their



thickness. Note: The fabric is stretched across the face, there is no board across the front.

- V7 is mounted with "L" brackets like a traditional cornice.

### **Return/Board/Rod Sizes:**

- A 3-1/2" board/return is standard.
- 1-1/2", 2-1/2", 5-1/2", 7-1/4" and 9-1/4" boards/returns are also available.

### **Fullness:**

Not applicable

### **Available Fabrics:**

- The V7 is only available in non-sheer Horizons Soft Treatments fabric or C.O.M.

- The ties may be matching or contrasting fabric.

### **Lining:**

This style is available with blackout lining only.

### **Edge Accents Banding:**

Not applicable

### **Decorative Trimmings:**

Decorative Trimmings may be applied on the bottom edge. Cording may be added to the top in place of welting. See page C34-C36 for trim compatibility.

### **Welting:**

A 1/4" welt at the top is standard. A larger 1/2" welt is optional. A contrasting welt is also optional.

### **Valance Ties:**

A pair of 2" valance ties may be added with or without tails. Choose any fabric from the Horizons Soft Treatments line or C.O.M.



Valance Tie without Tail



Valance Tie with Tail



Tassel  
(Optional)

## Style: V8

### **Width: (per Triangle)**

18" or 24"

### **Heights:**

The height of an 18" wide triangle is 20", not including the tassel.

The height of an 24" wide triangle is 26", not including the tassel.

### **Swag Count:**

Not applicable

### **Measuring/Mounting Notes:**

- The V8 is rod pocket mounted or hung on ring clips, please specify when ordering.

- The triangles may overlap up to 3" when rod pocket mounted.

- 2 clips are recommended per triangle if clip mounted.

### **Return/Board/Rod Sizes:**

- This style does not have returns.
- This style may be mounted on any rod from 3/4" to 2" in diameter.

### **Fullness:**

Not applicable

### **Available Fabrics:**

Available in any Horizons Soft Treatments fabric or C.O.M.

### **Lining:**

- Standard (non-sheer) fabrics are self lined.
- Sheer fabrics may be self or voile lined.

### **Edge Accents Banding:**

Not applicable

### **Decorative Trimmings:**

Decorative Trimmings may be applied on the bottom edges of the triangles. See pages C34-C36 for trim compatibility.

### **Welting:**


Not applicable

### **Valance Ties:**

Not applicable



# Premium Top Treatments



## Style: V9

### **Width:**

Minimum: 24"  
Maximum: 192"

### **Heights:**

Swags: short point: 12" approx.  
long point: 18" approx.  
Jabots: standard: 36" approx.  
Custom heights to 108" optional

### **Swag Count:**

1 swag up to 44" wide  
2 swags up to 66" wide  
3 swags up to 92" wide  
4 swags up to 119" wide  
5 swags up to 149" wide  
6 swags up to 169" wide  
7 swags up to 192" wide

### **Measuring/Mounting Notes:**

- The V9 is mounted on a matching fabric wrapped board.
- The standard is for swags to overlap right over left. Swags with left overlapping right are optional.

### **Return/Board/Rod Sizes:**

- A 3-1/2" board/return is standard.
- 1-1/2", 2-1/2", 5-1/2", 7-1/4" and 9-1/4" boards/returns are also available.

### **Fullness:**

Not applicable

### **Available Fabrics:**

The V9 is available in any Horizons Soft Treatments fabric or C.O.M.

### **Lining:**

- Swags are light filtering lined only.
- Jabots are self lined standard, but contrasting lining is optional.

### **Edge Accents Banding:**

Not applicable

### **Decorative Trimmings:**


Decorative Trimmings may be applied on the bottoms of the swags and/or at the leading edge of the jabots. See pages C34-C36 for trim compatibility.

### **Welting:**

A 1/4" welt at the top is standard. A larger 1/2" welt is optional. A contrasting welt is also optional.

### **Valance Ties:**

Not applicable



## Style: V10

### **Width:**

Minimum: 30"  
Maximum: 192"

### **Heights:**

Swags: short point: 12" approx.  
long point: 18" approx.  
Jabots: standard: 36" approx.  
Custom heights to 108" optional

### **Swag Count:**

1 swag up to 44" wide  
2 swags up to 66" wide  
3 swags up to 92" wide  
4 swags up to 119" wide  
5 swags up to 149" wide  
6 swags up to 169" wide  
7 swags up to 192" wide

### **Measuring/Mounting Notes:**

- The V10's sections are pre-formed at the workroom and attached to the pole with provided velcro for easy installation.
- The standard is for swags to overlap right over left. Swags with left overlapping right are optional.

### **Return/Board/Rod Sizes:**

- This style does not have returns.
- This style may be mounted on any rod from 3/4" to 2" in diameter.

### **Fullness:**

Not applicable

### **Available Fabrics:**

The V10 is available in any Horizons Soft Treatments fabric or C.O.M.

### **Lining:**

- Swags are light filtering lined only.
- Jabots are self lined standard, but contrasting lining is optional.

### **Edge Accents Banding:**

Not applicable

### **Decorative Trimmings:**

Decorative Trimmings may be applied on the bottoms of the swags and/or at the leading edge of the jabots. See pages C34-C36 for trim compatibility.

### **Welting:**

Not applicable

### **Valance Ties:**

Not applicable



# Premium Top Treatments



## Style: V11

### **Width:**

Minimum: 24"  
Maximum: 192"

### **Heights:**


15" long point /12" short point  
20" long point /15" short point

### **Swag Count:**

Not applicable

### **Measuring/Mounting Notes:**

- Outside mount only.
- This style is constructed with fabric wrapped wood legs for returns. Add a minimum of 2"



Right over left  
overlap  
(Standard)

to the width to allow for their thickness.

- V11 is mounted with "L" brackets like a traditional cornice.
- Right over left overlap is standard.
- Left over right overlap is optional.

### **Return/Board/Rod Sizes:**

- A 3-1/2" board/return is standard.
- 1-1/2", 2-1/2", 5-1/2", 7-1/4" and 9-1/4" boards/returns are also available.

### **Fullness:**

Not applicable

### **Available Fabrics:**

The V11 is available in any Horizons Soft Treatments fabric or C.O.M.

### **Lining:**

- Standard (non-sheer) fabrics are light filtering lined only.
- Sheer fabrics are self lined standard. Voile lining is optional.

### **Edge Accents Banding:**

Not applicable

### **Decorative Trimmings:**

Decorative Trimmings may be applied on the bottom edge of the front panel. Cording may be added to the top in place of welting. See pages C34-C36 for trim compatibility.

### **Welting:**

A 1/4" welt at the top is standard. A larger 1/2" welt is optional. A contrasting welt is also optional.

### **Valance Ties:**

Not applicable



## Style: V12

### **Width:**

Minimum: 24"  
Maximum: 192"

### **Heights:**


14" or 18"

### **Swag Count:**

Not applicable

### **Measuring/Mounting Notes:**

- Outside mount only.
- This style is constructed with fabric wrapped wood legs for returns. Add a minimum of 2"



1-1/2" Button

Revealed  
corner

to the width to allow for their thickness. Note: The fabric is stretched across the face, there is no board across the front.

- V12 is mounted with "L" brackets like a traditional cornice.
- 1-1/2" buttons are made with the face fabric standard, but a contrasting button is optional at no extra charge.

### **Return/Board/Rod Sizes:**

- A 3-1/2" board/return is standard.
- 1-1/2", 2-1/2", 5-1/2", 7-1/4" and 9-1/4" boards/returns are also available.

### **Fullness:**

Not applicable

### **Available Fabrics:**

- The V12 is only available in non-sheer Horizons Soft Treatments fabric or C.O.M.
- The revealed corners may be in a contrasting fabric.

### **Lining:**

This style is available with blackout lining only.

### **Edge Accents Banding:**

Not applicable

### **Decorative Trimmings:**

Cording may be added to the top in place of welting. See pages C34-C36 for trim compatibility.

### **Welting:**

A 1/4" welt at the top is standard. A larger 1/2" welt is optional. A contrasting welt is also optional.

### **Valance Ties:**

Not applicable



# Premium Top Treatments



## Style: V13

**Width:**

Minimum: 24"  
Maximum: 192"

**Heights:**


20" long point /15" short point  
15" long point/10" short point

**Swag Count:**

Not applicable

**Measuring/Mounting Notes:**

- Outside mount only.
- This style is constructed with fabric wrapped wood legs for returns. Add a minimum of 2"



to the width to allow for their thickness. Note: The fabric is stretched across the face, there is no board across the front.

- V13 is mounted with "L" brackets like a traditional cornice.

**Return/Board/Rod Sizes:**

- A 3-1/2" board/return is standard.
- 1-1/2", 2-1/2", 5-1/2", 7-1/4" and 9-1/4" boards/returns are also available.

**Fullness:**

Not applicable

**Available Fabrics:**

The V13 is available in any Horizons Soft Treatments fabric or C.O.M.

**Lining:**

- Standard (non-sheer) fabrics are self lined standard. Contrast lining is optional.
- Sheer fabrics are self lined standard. Voile lining is optional.

**Edge Accents Banding:**

Not applicable

**Decorative Trimmings:**

Decorative Trimmings may be applied on the bottom edge. Cording may be added to the top in place of welting. See pages C34-C36 for trim compatibility.

**Welting:**

A 1/4" welt at the top is standard. A larger 1/2" welt is optional. A contrasting welt is also optional.

**Valance Ties:**

Not applicable



## Style: V14

**Width:**

Minimum: 24"  
Maximum: 192"

**Heights:**


Short point: 12" approx.  
Long point: 16" approx.

**Swoop Count:**

This style always has one swoop.

**Measuring/Mounting Notes:**

- Outside mount only.
- This style is constructed with fabric wrapped wood legs for returns. Add a minimum of 2"



to the width to allow for their thickness. Note: The fabric is stretched across the face, there is no board across the front.

- V14 is mounted with "L" brackets like a traditional cornice.

**Return/Board/Rod Sizes:**

- A 3-1/2" board/return is standard.
- 1-1/2", 2-1/2", 5-1/2", 7-1/4" and 9-1/4" boards/returns are also available.

**Fullness:**

Not applicable

**Available Fabrics:**

The V14 is available in any Horizons Soft Treatments fabric or C.O.M.

**Lining:**

- Standard (non-sheer) fabrics are light filtering lined only.
- Sheer fabrics are self lined standard. Voile lining is optional.

**Edge Accents Banding:**

Not applicable

**Decorative Trimmings:**

Decorative Trimmings may be applied on the bottom edge. Cording may be added to the top in place of welting. See pages C34-C36 for trim compatibility.

**Welting:**


A 1/4" welt at the top is standard. A larger 1/2" welt is optional. A contrasting welt is also optional.

**Valance Ties:**

Not applicable



# Premium Top Treatments



## Style: V15

### **Width:**

Minimum: 24"  
Maximum: 192"

### **Heights:**


Swags: short point: 12" approx.  
          long point: 16" approx.  
Jabots: standard: 36" approx.  
Custom heights to 108" optional

### **Swoop Count:**

This style always has one swoop.

### **Measuring/Mounting Notes:**

- Outside mount only.
- This style is constructed with fabric wrapped wood legs for



returns. Add a minimum of 2" to the width to allow for their thickness. Note: The fabric is stretched across the face, there is no board across the front.

- V15 is mounted with "L" brackets like a traditional cornice.

### **Return/Board/Rod Sizes:**

- A 3-1/2" board/return is standard.
- 1-1/2", 2-1/2", 5-1/2", 7-1/4" and 9-1/4" boards/returns are also available.

### **Fullness:**

Not applicable

### **Available Fabrics:**

The V15 is available in any Horizons Soft Treatments fabric or C.O.M.

### **Lining:**

- The swag is light filtering lined only for standard (non sheer) fabrics. Sheers are self lined standard. Voile lining is optional.
- It is standard for jabots to be self lined. Contrasting lining is optional. Interlining is available for an additional charge. Sheers are self lined standard. Voile lining is optional.

### **Edge Accents Banding:**

Not applicable

### **Decorative Trimmings:**

Decorative Trimmings may be applied on the bottoms of the swags and/or at the leading edge of the jabots. Cording may be added to the top in place of welting. See pages C34-C36 for trim compatibility.

### **Welting:**

A 1/4" welt at the top is standard. A larger 1/2" welt is optional. A contrasting welt is also optional.

### **Valance Ties:**

Not applicable



## Style: V16

### **Width:**

Minimum: 24"  
Maximum: 192"

### **Heights:**

18" or 22" approx.

### **Swag/Swoop/Pelmet Count:**

Not applicable

### **Measuring/Mounting Notes:**

This style is rod mounted.

### **Return/Board/Rod Sizes:**

- No returns is standard, however 3-1/2", 5-1/2", 7" and 9" returns may be requested at no extra charge.

- This style may be mounted on any rod from 3/4" to 2" in diameter.

- Tassels are optional. When made without tassels each gather will be bound with a matching fabric ringlet. A contrasting ringlet is available upon request at no additional charge.

### **Fullness:**

2x fullness

### **Available Fabrics:**

The V16 is only available in non-sheer Horizons Soft Treatments fabrics or C.O.M.

### **Lining:**

V16 is available with standard lining only.

### **Edge Accents Banding:**

Not applicable

### **Decorative Trimmings:**

Decorative Trimmings may be applied on the bottom edge. Tassels are optional at each gather. See pages C34-C36 for trim compatibility.

### **Welting:**


Not applicable

### **Valance Ties:**

Not applicable



# Premium Top Treatments



## Style: V17

**Width:**

Minimum: 24"  
Maximum: 192"

**Heights:**

29" long point /12" short point  
26" long point /10" short point

**Swoop Count:**

This style always has 2 swoops.

**Measuring/Mounting Notes:**

- Outside mount only.
- V17 is mounted with "L" brackets like a traditional cornice.

**Return/Board/Rod Sizes:**

- A 3-1/2" board/return is standard.
- 1-1/2", 2-1/2", 5-1/2", 7-1/4" and 9-1/4" boards/returns are also available.

**Fullness:**

Not applicable

**Available Fabrics:**

- The V17 fabric is only available in non-sheer Horizons Soft Treatments fabric or C.O.M.
- It is standard for the straight portion to be contrasting.
  - The 3" banding will match the straight portion.

**Lining:**

- The swoops are lined with the contrasting fabric.
- The straight portion is self lined.

**Edge Accents Banding:**

Not applicable

**Decorative Trimmings:**

Not applicable

**Welting:**

Not applicable

**Valance Ties:**

Not applicable



## Style: V18

**Width:**

Minimum: 24"  
Maximum: 192"

**Heights:**

15" or 18"

**Swag Count:**

Not applicable

**Measuring/Mounting Notes:**

This style is pole mounted.

**Return/Board/Rod Sizes:**

- This style does not have returns.
- This style may be mounted on any pole up to 1-3/8" in diameter.

**Fullness:**

2x fullness.

**Available Fabrics:**

The V18 is only available in non-sheer Horizons Soft Treatments fabric or C.O.M.

**Lining:**

This style is made with light filtering lining. Self lining is optional.

**Edge Accents Banding:**

Not applicable

**Decorative Trimmings:**

Decorative Trimmings may be applied on the bottom edge. See pages C34-C36 for trim compatibility.

**Welting:**

Not applicable

**Valance Ties:**

Not applicable

**Grommet Colors:**



# Premium Top Treatments



## Style: V19

**Width:**

Minimum: 24"  
Maximum: 192"

**Heights:**

The V19 is made standard with a 36" long point and an 18" short point. A straight 18" valance without tails is optional.

**Swag/Swoop/Pelmet Count:**

Not applicable

**Measuring/Mounting Notes:**

This style is pole mounted with rings. Refer to the ring count chart on page C10.

**Return/Board/Rod Sizes:**

- This style does not have returns.
- This style may be mounted on any pole that accommodates ring clips.

**Fullness:**

- Standard fabrics: 2x fullness
- Sheer fabrics: 2-1/2x fullness

**Available Fabrics:**

The V19 is available in any Horizons Soft Treatments fabrics or C.O.M.

**Lining:**

- Standard (non-sheer) fabrics are self lined standard. Contrasting lining is optional.
- Sheer fabrics may be self or voile lined. Embroidered sheers will be voile lined.

**Edge Accents Banding:**

Not applicable

**Decorative Trimmings:**

Decorative Trimmings may be applied on the bottom edge. See pages C34-C36 for trim compatibility.

**Welting:**

Not applicable

**Valance Ties:**

Not applicable



## Style: V20

**Width:**

Minimum: 24"  
Maximum: 192"

**Heights:**

32" long point/14" short point  
36" long point/18" short point

**Swag/Swoop/Pelmet Count:**

Not applicable

**Measuring/Mounting Notes:**

- This style is constructed with a matching fabric wrapped board.
- V20 is mounted with "L" brackets like a traditional cornice.

**Return/Board/Rod Sizes:**

- A 3-1/2" board/return is standard.
- 1-1/2", 2-1/2", 5-1/2", 7-1/4" and 9-1/4" boards/returns are also available.

**Fullness:**

Not applicable

**Available Fabrics:**

The V20 is only available in non-sheer Horizons Soft Treatments fabric or C.O.M.

**Lining:**

Self lining is standard for this style. Contrasting lining is optional.

**Edge Accents Banding:**

2" banding is optional at the bottom edge at no additional charge.

**Decorative Trimmings:**

Decorative Trimmings may be applied on the bottom edge. Cording may be added to the top in place of welting. See pages C34-C36 for trim compatibility.

**Welting:**


A 1/4" welt at the top is standard. A larger 1/2" welt is optional. A contrasting welt is also optional.

**Valance Ties:**

Not applicable



# Premium Top Treatments



## Style: V21

### Width:

Minimum: 30"  
Maximum: 192"

### Heights:

18" long point / 14" short point

### Swag & Horn Count:

1 swags, 2 horns up to 36" wide  
2 swags, 3 horns up to 66" wide  
3 swags, 4 horns up to 92" wide  
4 swags, 5 horns up to 119" wide  
5 swags, 6 horns up to 149" wide  
6 swags, 7 horns up to 169" wide  
7 swags, 8 horns up to 192" wide

### Measuring/Mounting Notes:

The V21 is mounted on a matching fabric wrapped board.

### Return/Board/Rod Sizes:

- A 3-1/2" board/return is standard.
- 1-1/2", 2-1/2", 5-1/2", 7-1/4" and 9-1/4" boards/returns are also available.

### Fullness:

Not applicable

### Available Fabrics:

The V21 is only available in non-sheer Horizons Soft Treatments fabrics or C.O.M.

### Lining:

- The swags are standard lined.
- Interlining on the swags is optional.
- The horns are self lined standard, but contrasting lining is optional.

### Edge Accents Banding:

Not applicable

### Decorative Trimmings:

Decorative Trimmings may be applied on the bottom edge. See pages C34-C36 for trim compatibility.

### Welting:

Not applicable

### Valance Ties:

Not applicable



## Style: V22

### Width:

Minimum: 24"  
Maximum: 192"

### Heights:

14" or 18"

### Pleat Count:

2 pleats up to 30" wide  
3 pleats up to 45" wide  
4 pleats up to 60" wide  
5 pleats up to 75" wide  
6 pleats up to 90" wide  
7 pleats up to 105" wide  
8 pleats up to 120" wide  
9 pleats up to 135" wide  
10 pleats up to 150" wide  
11 pleats up to 165" wide  
12 pleats up to 180" wide  
13 pleats up to 192" wide

### Measuring/Mounting Notes:

- Outside mount only.
- V22 is mounted with "L" brackets like a traditional cornice.

### Return/Board/Rod Sizes:

- A 3-1/2" board/return is standard.
- 1-1/2", 2-1/2", 5-1/2", 7-1/4" and 9-1/4" boards/returns are also available.

### Fullness:

Not applicable

### Available Fabrics:

The V22 is only available in non-sheer Horizons Soft Treatments fabrics or C.O.M.

### Lining:

This style is blackout lined only.

### Edge Accents Banding:

Not applicable

### Decorative Trimmings:

Cording may be added to the top in place of welting. See pages C34-C36 for trim compatibility.

### Welting:

A 1/4" welt at the top is standard. A larger 1/2" welt is optional. A contrasting welt is also optional.

### Valance Ties:

Not applicable



# Premium Top Treatments



## Style: V23

**Width:**

Minimum: 24"  
Maximum: 192"

**Heights:**

14" or 18"

**Swag/Swoop/Pleat Count:**

This style always has one pleat in the center and one pleat at each corner.

**Measuring/Mounting Notes:**

- Outside mount only.
- V23 is mounted with "L" brackets like a traditional cornice.

**Return/Board/Rod Sizes:**

- A 3-1/2" board/return is standard.
- 1-1/2", 2-1/2", 5-1/2", 7-1/4" and 9-1/4" boards/returns are also available.

**Fullness:**

Not applicable

**Available Fabrics:**

The V23 is only available in non-sheer Horizons Soft Treatments fabrics or C.O.M.

**Lining:**

This style is blackout lined only.

**Edge Accents Banding:**

Not applicable

**Decorative Trimmings:**

Decorative Trimmings may be applied on the bottom edge. Cording may be added to the top in place of welting. See pages C34-C36 for trim compatibility.

**Welting:**

A 1/4" welt at the top is standard. A larger 1/2" welt is optional. A contrasting welt is also optional.

**Valance Ties:**

Not applicable



2 Bottom Folds

## Style: V24

**Width:**

Minimum: 24"  
Maximum: 192"

**Heights:**


10", 14" or 18"

**Swag/Swoop/Pelmet Count:**

Not applicable

**Measuring/Mounting Notes:**

- Outside mount only.
- This style is constructed with fabric wrapped wood legs for returns. Add a minimum of 2"



to the width to allow for their thickness. Note: The fabric is stretched across the face, there is no board across the front.

- V24 is mounted with "L" brackets like a traditional cornice.

**Return/Board/Rod Sizes:**

- A 3-1/2" board/return is standard.
- 1-1/2", 2-1/2", 5-1/2", 7-1/4" and 9-1/4" boards/returns are also available.

**Fullness:**

Not applicable

**Available Fabrics:**

The V24 is only available in non-sheer Horizons Soft Treatments fabrics or C.O.M.

- It is standard for the two folds to be made in the same fabric. Contrasting folds are available at no extra charge.

**Lining:**

This style is blackout lined only.

**Edge Accents Banding:**

Not applicable

**Decorative Trimmings:**

Decorative Trimmings may be applied on the bottom edge. Cording may be added to the top in place of welting. See pages C34-C36 for trim compatibility.

**Welting:**


A 1/4" welt at the top is standard. A larger 1/2" welt is optional. A contrasting welt is also optional.

**Valance Ties:**

Not applicable



# Premium Top Treatments



## Style: V25

**Width:**

Minimum: 24"  
Maximum: 192"

**Heights:**


14" or 18"

**Swag Count:**

Not applicable

**Measuring/Mounting Notes:**

- Outside mount only.
- This style is constructed with fabric wrapped wood legs for returns. Add a minimum of 2"



to the width to allow for their thickness. Note: The fabric is stretched across the face, there is no board across the front.

- V25 is mounted with "L" brackets like a traditional cornice.

**Return/Board/Rod Sizes:**

- A 3-1/2" board/return is standard.
- 1-1/2", 2-1/2", 5-1/2", 7-1/4" and 9-1/4" boards/returns are also available.

**Fullness:**

Not applicable

**Available Fabrics:**

- The straight portion (base) is only available in non-sheer Horizons Soft Treatments fabrics or C.O.M.
- It is standard for the shirred panel (bow tie) to match the base fabric. Contrasting the shirred panel is optional.
- It is standard for the belt to match the base fabric. Contrasting the belt fabric is optional.

**Lining:**

This style is blackout lined only.

**Edge Accents Banding:**

Not applicable

**Decorative Trimmings:**

Cording may be added to the top in place of welting. See pages C34-C36 for trim compatibility.

**Welting:**

A 1/4" welt at the top is standard. A larger 1/2" welt is optional. A contrasting welt is also optional.

**Valance Ties:**

Not applicable



## Style: V26

**Width:**

Minimum: 24"  
Maximum: 192"

**Heights:**


14" long point / 10" short point  
18" long point / 14" short point

**Tie Count:**

- 2 ties up to 59" wide
- 3 ties up to 98" wide
- 4 ties up to 139" wide
- 5 ties up to 177" wide
- 6 ties up to 192" wide

**Measuring/Mounting Notes:**

- Outside mount only.
- This style is constructed with



fabric wrapped wood legs for returns. Add a minimum of 2" to the width to allow for their thickness.

- V26 is mounted with "L" brackets like a traditional cornice.

**Return/Board/Rod Sizes:**

- A 3-1/2" board/return is standard.
- 1-1/2", 2-1/2", 5-1/2", 7-1/4" and 9-1/4" boards/returns are also available.

**Fullness:**

Not applicable

**Available Fabrics:**

The V26 is available in any Horizons Soft Treatments fabric or C.O.M.

**Lining:**

- Standard (non-sheer) fabrics are self lined standard, but contrasting lining is optional.
- Sheer fabrics may be self or voile lined.

**Edge Accents Banding:**

Not applicable

**Decorative Trimmings:**

Cording may be added to the top in place of welting. See pages C34-C36 for trim compatibility.

**Welting:**

A 1/4" welt at the top is standard. A larger 1/2" welt is optional. A contrasting welt is also optional.

**Valance Ties:**

3" valance ties are standard and may be with or without tails. Choose any fabric from the Horizons Soft Treatments line or C.O.M.




Valance Tie without Tail



Valance Tie with Tail

# Premium Top Treatments



## Style: V27

### Width:

Minimum: 24"  
Maximum: 192"

### Heights:


14" or 18" (includes rod pocket)

### Swag Count:

Not applicable

### Measuring/Mounting Notes:

- Outside mount only.
- This style is constructed with fabric wrapped wood legs for returns. Add a minimum of 2" to the width to allow for their thickness. Note: The fabric is



stretched across the face, there is no board across the front.

- V27 is mounted with "L" brackets like a traditional cornice.

### Return/Board/Rod Sizes:

- A 3-1/2" board/return is standard.
- 1-1/2", 2-1/2", 5-1/2", 7-1/4" and 9-1/4" boards/returns are also available.
- This style can accommodate any rod from 3/4" to 2" in diameter. The width does not include the finials on the pole. See Decorative Hardware pages D3-D7 for sizes and selections.

### Fullness:

Not applicable

### Available Fabrics:

- The V27 is only available in non-sheer Horizons Soft Treatments Fabrics or C.O.M.
- It is standard for the rod pocket to match the base fabric. Contrasting the rod pocket is optional.

### Lining:

This style is blackout lined only.

### Decorative Trimmings:

Cording may be added to the top in place of welting. See pages C34-C36 for trim compatibility.

### Welting:

A 1/4" welt at the top is standard. A larger 1/2" welt is optional. A contrasting welt is also optional.

### Valance Ties:

The V27 always has 2 ties that may be with or without tails. It is standard for the ties to match the base fabric. Contrasting ties are optional.



## Style: V28

### Width:

Minimum: 24"  
Maximum: 192"

### Heights:


14" or 18" (not including tabs)

### Swag/Swoop/Pelmet Count:

Not applicable

### Measuring/Mounting Notes:

- Outside mount only.
- This style is constructed with fabric wrapped wood legs for returns. Add a minimum of 2" to the width to allow for their



thickness. Note: The fabric is stretched across the face, there is no board across the front.

- V28 is mounted with "L" brackets like a traditional cornice.
- The tabs are 3" wide and will be spaced proportional to the width of the valance ranging from 6" apart for the narrowest to 12" apart for the widest.

### Return/Board/Rod Sizes:

- A 3-1/2" board/return is standard.
- 1-1/2", 2-1/2", 5-1/2", 7-1/4" and 9-1/4" boards/returns are also available.
- This style can accommodate any rod from 3/4" to 2" in diameter. The width does not include

the finials on the pole. See Decorative Hardware (section D) for sizes and selections.

### Fullness:

Not applicable

### Available Fabrics:

- The V28 is only available in non-sheer Horizons Soft Treatments fabrics or C.O.M.
- It is standard for the tabs to match the base fabric. Contrasting tabs are optional.

### Lining:

This style is blackout lined only.

### Decorative Trimmings:

Cording may be added to the top in place of welting. See pages C34-C36 for trim compatibility.

### Welting:

A 1/4" welt at the top is standard. A larger 1/2" welt is optional. A contrasting welt is also optional.

### Valance Ties:

Not applicable