



T Screen™ & T Screen™ WITH KOOLBLACK® TECHNOLOGY

High Performance | 1% 3% openness




1%

030002 | Charcoal/White



3%

030002 | Charcoal/White



002002
White/White

02M228
White/
White-Steel

002001
White/Grey

002030
White/Charcoal

007030
Pearl/Charcoal

07M387
Pearl/
Charcoal-Fawn

07M287
Pearl/
Stone-Fawn

030002
Charcoal/White*

30M102
Charcoal/
Grey-White*

00M122
Charcoal/
Grey-Stone*

30M328
Charcoal/
Charcoal-Steel*

30M329
Charcoal/
Charcoal-Iron*

*Available in KOOLBLACK® Technology.

Fabrics sampled on the waterfall are 3% openness.

Fabric Specifications


Fabric Style	UV Blockage	Composition	Standard Roll Length	Warranty
Satin	Approximately 97%-99%	36% Fiberglass, 64% Vinyl	30 ly (27 lm)	5 Year Exterior 10 Year Interior

T Screen™

Available Colors

White/White	White/White-Steel	White/Grey
White/Charcoal	Pearl/Charcoal	Pearl/Charcoal-Fawn
Pearl/Stone-Fawn	Charcoal/White	Charcoal/Grey-White
Charcoal/Grey-Stone	Charcoal/Charcoal-Steel	Charcoal/Charcoal-Iron

Openness	Item No.	Available Widths			Weight oz/yd² (±5%)	Thickness inches (±5%)
		78"	98"	122"		
1%	006701	•		•	13.83	0.028
3%	006703	•		•	12.59	0.027




1% 030002 | Charcoal/White

T Screen™ with KOOLBLACK TECHNOLOGY


Available Colors

Charcoal/White	Charcoal/Grey-White	Charcoal/Grey-Stone
Charcoal/Charcoal-Steel	Charcoal/Charcoal-Iron	

Openness	Item No.	Available Widths			Weight oz/yd² (±5%)	Thickness inches (±5%)
		78"	98"	122"		
1%	009701		•	•	13.54	0.024
3%	009703		•	•	13.27	0.029



3% 030002 | Charcoal/White



Looking for fenestration data?
Scan here for complete fabric resources.


MermetUSA.com



Mermet Corporation
5970 N. Main Street | Cowpens, SC 29330
1.866.902.9647 | info@MermetUSA.com

Product performance and specification data is subject to change, visit www.Mermetusa.com for the most current information

Fabrics sampled on waterfall are 5% openness.



1%

A00030 Onyx



5%

A00030 Onyx



000010
Sand

000020
Linen

000055
Mushroom

000071
Suede

000015
Dusk

000022
Stone

000001
Pewter

A00030
Onyx

Specifications

Item Number
Openness Factor
Composition
UV Blockage
Standard Packaging
Width
Weight
Thickness

1% 002501 | 5% 002505
1% & 5%
100% Polyester | 89% Recycled Content
Approximately 95%-99%
Rolls of 50 ly (46 lm)
118 in (300 cm)
1% 5.10 oz/yd² (174 g/m²) ±5% | 5% 5.01 oz/yd² (170 g/m²) ±5%
1% 0.0109 in (0.49 mm) ±5% | 5% 0.017 in (0.44 mm) ±5%

Classifications

Fire Classifications
NFPA 701 TM#1, California U.S. Title 19,
CAN/ULC-S109 Small & Large Flame Test
ASTM G21
Bacterial & Fungal Resistance
Environment
RoHS - Lead Free, GREENGUARD Gold, Declare Label, Cradle to Cradle - Certified Bronze
Acoustical Performance
1% NRC 0.20, SAA 0.22 | 5% NRC 0.15, SAA 0.14



ITEM COLOR

A00030 Onyx
000022 Stone
000001 Pewter
000015 Dusk
000071 Suede
000055 Mushroom
000020 Linen
000010 Sand

FABRIC + GLASS															
thermal FABRIC Total Solar						optical				commercial SHGC% Improvement		residential SHGC			
Rs %		As %		Ts %		Rv %		Tv %		1	5	1	5	1	5
1	5	1	5	1	5	1	5	1	5						
34	31	49	47	17	22	11	10	5	9	18	16	0.51	0.56		
52	49	24	24	24	27	44	43	17	20	34	32	0.42	0.45		
43	37	38	37	19	26	25	23	8	14	24	21	0.46	0.52		
36	31	50	47	14	22	11	10	2	8	18	16	0.50	0.56		
39	35	42	40	19	25	20	18	7	13	21	18	0.48	0.53		
46	42	34	31	20	27	32	31	10	18	29	24	0.45	0.49		
58	52	17	16	25	32	55	50	20	28	42	34	0.38	0.44		
61	54	13	11	26	35	60	54	23	33	45	37	0.36	0.43		

Warranty

5 Year Interior

Disinfecting & Cleaning

Remove dust with a soft duster, cloth, sponge or low-suction vacuum. For minor stains clean with a mild dish detergent and lukewarm water using a soft brush, cloth or sponge. For tougher stains and disinfecting instructions visit [MermetUSA.com](https://www.MermetUSA.com).




Draper, Inc.
411 S. Pearl Street | Spiceland, IN 47385
765.987.7999 | 800.238.7999

draperinc.com



For additional information, questions, or to request fabric samples, please contact your Draper sales representative or scan to visit request.draperinc.com





3% Openness
▼

030071
Charcoal/Apricot

002002
White/White

002007
White/Pearl

007020
Pearl/Linen

007007
Pearl/Pearl

030001
Charcoal/Grey

030030
Charcoal/Charcoal

002022
White/Stone

002020
White/Linen

020022
Linen/Stone

00M166
Linen/Sable-Cocoa

030010
Charcoal/Sable



1% 030061
Charcoal/Cocoa

3% 030061
Charcoal/Cocoa

5% 030061
Charcoal/Cocoa

Specifications

Item Number	1% 008501 3% 008503 5% 008505
Openness Factor	1%, 3% & 5%
Composition	36% Fiberglass 64% Vinyl
UV Blockage	Approximately 95%-99%
Standard Packaging	Rolls of 30 ly (27 lm)
Width	98 in (250 cm), 122 in (310 cm)
Weight	1% 13.12 oz/yd ² (445 g/m ²) ±5% 3% 12.27 oz/yd ² (432 g/m ²) ±5% 5% 11.3 oz/yd ² (384 g/m ²) ±5%
Thickness	1% 0.022 in (0.56 mm) ±5% 3% 0.022 in (0.55 mm) ±5% 5% 0.022 in (0.55 mm) ±5%

Classifications

Fire Classifications	NFPA 701-10 TM#1, California U.S. Title 19 CAN/ULC-S109-03 Small & Large Flame Test
Bacterial & Fungal Resistance	ASTM E2180, ASTM G21
Environment	RoHS - Lead Free, GREENGUARD Gold
Acoustical Performance	1% NRC: 0.50, SAA: 0.47 3% NRC: 0.25, SAA: 0.24 5% NRC: 0.15, SAA: 0.16

M Screen™

ITEM	COLOR	FABRIC															FABRIC + GLASS								
		thermal Total Solar									optical						commercial SHGC% Improvement			residential SHGC					
		Rs %			As %			Ts %			Rv %			Tv %			interior			interior					
		1	3	5	1	3	5	1	3	5	1	3	5	1	3	5	1	3	5	1	3	5	1	3	5
030071	Charcoal/Apricot	11	13	13	86	82	80	3	5	7	11	14	13	2	5	7	18	18	16	0.55	0.59	0.60			
002002	White/White	76	71	71	9	11	10	15	18	19	81	76	75	12	16	16	63	55	55	0.24	0.29	0.30			
002007	White/Pearl	59	54	52	32	36	33	9	10	15	64	58	56	7	8	12	50	45	42	0.32	0.37	0.40			
007020	Pearl/Linen	36	40	39	56	49	49	8	11	12	38	42	41	5	8	9	34	34	32	0.44	0.46	0.47			
007007	Pearl/Pearl	32	34	33	63	59	57	5	7	10	34	36	35	4	5	7	26	29	29	0.45	0.48	0.50			
030001	Charcoal/Grey	7	8	8	91	90	86	2	2	6	7	8	8	2	2	5	18	16	13	0.56	0.61	0.63			
030030	Charcoal/Charcoal	4	4	4	95	93	93	1	3	3	4	4	4	1	3	3	16	13	11	0.57	0.63	0.64			
002022	White/Stone	67	62	61	15	17	18	18	21	21	71	66	65	16	18	18	55	47	47	0.30	0.35	0.36			
002020	White/Linen	67	64	61	18	21	20	15	15	19	72	67	64	12	11	15	55	50	47	0.29	0.33	0.36			
020022	Linen/Stone	50	51	50	29	28	28	21	21	22	53	53	52	18	16	18	42	39	37	0.39	0.41	0.42			
00M166	Linen/Sable-Cocoa	39	35	36	50	56	52	11	9	12	41	37	37	9	7	10	37	29	29	0.43	0.48	0.49			
030010	Charcoal/Sable	10	12	13	87	84	81	3	4	6	10	13	13	2	4	5	18	18	16	0.55	0.59	0.60			
030061	Charcoal/Cocoa	5	5	5	93	92	90	2	3	5	5	5	5	2	3	4	16	13	13	0.57	0.62	0.64			

Warranty

5 Year Exterior & 10 Year Interior

Disinfecting & Cleaning

Remove dust with a soft duster, cloth, sponge or low-suction vacuum. For minor stains clean with a mild dish detergent and lukewarm water using a soft brush, cloth or sponge. For tougher stains and disinfecting instructions visit [MermetUSA.com](https://www.MermetUSA.com).

Draper, Inc.
411 S. Pearl Street | Spiceland, IN 47385
765.987.7999 | 800.238.7999

draperinc.com



For additional information, questions, or to request fabric samples, please contact your Draper sales representative or visit request.draperinc.com



Scan here for complete fabric resources.

Sparta Twilight™

Room Darkening Blackout



016002
Chalk/White

042002
Gypsum/White

001002
Pewter/White

070002
Emery/White

060002
Black/White



002002
White/White

001001
Pewter/Pewter

070070
Emery/Emery

060060
Black/Black



Digital sample of actual colors may vary slightly.



Sparta Twilight™ Specifications

Item Number	W04942 - White Backing
Openness Factor	M04942 - Color Matched Backing
Composition	0% - Room Darkening (Blackout/Opaque)
UV Blockage	33% Polyester 67% Acrylic
Standard Packaging	Approximately 100%
Width	Rolls of 33 ly (30 lm)
Weight	126 in (320 cm)
Thickness	9.9 oz/yd² (336 g/m²) ±5%
	0.014 in (0.35 mm) ±5%

Classifications

Fire Classifications	NFPA 701 TM#1, California U.S. Title 19 CAN/ULC-S109 Small & Large Flame Test
Bacterial Resistance	ASTM E2180
Environment	RoHS - Lead Free, GREENGUARD Gold
Acoustical Performance	NRC: 0.00, SAA: 0.02

			FABRIC				FABRIC + GLASS		ILLUMINANCE		
			thermal Total Solar			optical		commercial SHGC % Improvement	residential SHGC	Blackout %	Glow %
W04942 - WHITE BACKING			R _s %	A _s %	T _s %	R _v %	T _v %				
ITEM	COLOR	SIDE*									
016002	Chalk/White	street	73	27	0	81	0	63	0.22	100	0
		room	64	36	0	68	0	55	0.28	100	0
042002	Gypsum/White	street	72	28	0	80	0	63	0.22	99	1
		room	72	28	0	78	0	61	0.23	99	1
001002	Pewter/White	street	72	28	0	79	0	63	0.23	100	0
		room	18	82	0	39	0	37	0.47	100	0
070002	Emery/White	street	73	27	0	81	0	63	0.22	100	0
		room	9	91	0	9	0	18	0.55	100	0
060002	Black/White	street	72	28	0	80	0	63	0.22	100	0
		room	4	96	0	4	0	16	0.57	100	0
M04942 - COLOR MATCHED BACKING											
002002	White/White	street	71	29	0	80	0	63	0.23	89	11
		room	75	25	0	84	0	66	0.20	89	11
001001	Pewter/Pewter	street	18	82	0	20	0	24	0.51	100	0
		room	18	82	0	20	0	24	0.51	100	0
070070	Emery/Emery	street	9	91	0	10	0	18	0.55	100	0
		room	9	91	0	9	0	18	0.55	100	0
060060	Black/Black	street	5	95	0	5	0	16	0.58	98	2
		room	4	96	0	4	0	16	0.58	98	2

*Roomside: identified by the fabric side; Streetside: identified by the coated side

Warranty

Disinfecting & Cleaning

5 Year Interior

Remove dust with vacuum cleaner or compressed air. Do not scrub. Do not use solvents or any abrasive substance which might damage the coating of the fabric. Clean with a sponge or a soft brush dipped in soapy water using mild detergent. Rinse with clean water. Leave the blind down until completely dry. You can also very gently rub the fabric with a clean white pencil eraser to remove small stains. For tougher stains and disinfecting instructions visit MermetUSA.com.

Draper, Inc.
411 S. Pearl Street | Spiceland, IN 47385
765.987.7999 | 800.238.7999

draperinc.com




For additional information, questions, or to request fabric samples, please contact your Draper sales representative or scan to visit request.draperinc.com



Vizela™
Privacy <1% Openness

Flocké®
Room Darkening 0% Openness



<1%



000609
Loutre

000608
Chartreux

000618
Mississippi

000623
Sahel

000600
Blanc

MERMET®

Sun Control Textiles™

Digital sample of actual colors may vary slightly.

DRAPER®

Specifications

Item Number
Openness Factor
Composition

UV Blockage
Standard Packaging
Width
Weight
Thickness

Classifications

Fire Classifications

Bacterial & Fungal Resistance
Environment
Acoustical Performance

Vizela™

011600
Privacy <1%
100% Fiberglass | EVA Coating

Approximately 99%
Rolls of 36 ly (33 lm)
94.5 in (240 cm)
8.7 oz/yd² (295 g/m²) ±5%
0.013 in (0.35 mm) ±5%

Flocké®

011201
Room Darkening (Blackout)
42% Fiberglass | 51% Acrylic
7% Cotton Flocked Backing
Approximately 100%
Rolls of 36 ly (33 lm)
94.5 in (240 cm)
15.93 oz/yd² (540 g/m²) ±5%
0.020 in (0.51 mm) ±5%

Vizela™

ITEM COLOR

000609	Loutre
000608	Chartreux
000618	Mississippi
000623	Sahel
000600	Blanc

Flocké®

ITEM COLOR

000609	Loutre	Streetside
		Roomside
000608	Chartraux	Streetside
		Roomside
000618	Mississippi	Streetside
		Roomside
000623	Sahel	Streetside
		Roomside
000600	Blanc	Streetside
		Roomside

FABRIC						FABRIC + GLASS		ILLUMINANCE	
thermal			optical			commercial	residential		
Rs %	As %	Ts %	Rv %	Tv %		SHGC% Improvement	SHGC		
21	67	12	18	10		21	0.54	0	100
37	40	23	34	20		29	0.48	0	100
52	15	33	51	32		37	0.42	0	100
53	14	33	53	32		39	0.42	0	100
59	5	36	61	37		42	0.39	0	100

000609	Loutre	Streetside	73	27	0	82	0	66	0.22	100	0
		Roomside	28	72	0	25	0	24	0.47	100	0
000608	Chartraux	Streetside	72	28	0	82	0	66	0.22	100	0
		Roomside	48	52	0	45	0	39	0.37	100	0
000618	Mississippi	Streetside	72	28	0	81	0	63	0.22	100	0
		Roomside	68	32	0	68	0	55	0.26	100	0
000623	Sahel	Streetside	71	29	0	81	0	63	0.22	100	0
		Roomside	68	32	0	69	0	55	0.26	100	0
000600	Blanc	Streetside	72	28	0	82	0	66	0.22	100	0
		Roomside	75	25	0	79	0	63	0.22	100	0

*Roomside identified by the fabric side. *Streetside identified by the coated side.

Warranty

Disinfecting & Cleaning

Draper, Inc.
411 S. Pearl Street | Spiceland, IN 47385
765.987.7999 | 800.238.7999

draperinc.com



10 Year Interior

Remove dust with a soft duster, cloth, sponge or low-suction vacuum. For minor stains clean with a mild dish detergent and lukewarm water using a soft brush, cloth or sponge. For tougher stains and disinfecting instructions visit [MermetUSA.com](https://www.MermetUSA.com).

For additional information, questions, or to request fabric samples, please contact your Draper sales representative or scan to visit request.draperinc.com

